

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5715403".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L2	1	09/290363.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L3	1	09/525510.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L4	13463	(digital adj right adj management) or DRM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L5	1709	726/26.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L6	203	L4 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L7	132	L6 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L8	76	L7 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L9	37140	(public or private) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L10	44	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L11	5814	L4 and @pd<"20030419"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L12	155	L11 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L13	89	L12 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L14	2	"6772340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L15	2	L14 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L16	2	L15 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L17	1	L16 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L18	19	L13 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L19	13463	(digital adj right adj management) or DRM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L20	37140	(public or private) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L21	2	"6772340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L22	2059	L19 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L23	279	L22 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L24	179	L23 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L25	130	L24 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L26	108	L25 and (host or transmitter or sender) and (user or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L27	102	L26 and list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L28	7	2002/0152393	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L29	1	"20020152393".PN.	US-PGPUB	ADJ	ON	2008/07/23 17:24
L30	1448	generate with seed with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L31	171	generate with seed with (encryption adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L32	1709	726/26 OCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L33	79	L32 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L34	494	proximity adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L35	3	L34 and port adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L36	191	L34 and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L37	83	L36 and register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L38	56	L37 and (@pd< "20040419" or @ad< "20040419" or @prad< "20040419" or @rlad< "20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L39	38	L32 and ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L40	618	proximity adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L41	1155234	(port adj address) or (IP adj address) or (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L42	129	L40 and L41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L43	116306	response adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L44	11	L40 and L43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L45	101891	(register or registration or (sign adj up)) SAME ((proximity adj test) or ping or distance or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L46	368	L45 and (DRM or (digital adj rights adj management))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L47	289	L46 and (port or IP or location or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L48	205	L47 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @riad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L49	83	L48 and (maximum or max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L50	17	L48 and ((maximum or max or upper) adj (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L51	984	echo adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L52	25	L51 and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L53	9	L51 same encrypted	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L54	125040	(proximity adj test) or ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L55	82	L54 same encrypted	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L56	59	L55 and response and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L57	116306	response adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L58	7005	L57 and ((maximum or max or upper) adj (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L59	1953	(register or registration or (sign adj up)) and L58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L60	6	encrypted with (echo adj (request or reply or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L61	9952	registration adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L62	24	L32 and L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L63	5592	(response adj time) with (requirement or threshold) and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L64	10	L63 and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L65	125040	(proximity adj test) or ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L66	149	L65 and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L67	85	L66 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L68	142	(exceed or over or threshold or limit or maximum or time) with (((deny or refuse or denied or refused) adj (connection or registration or connect or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L69	19	L68 and (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L70	147	ping and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L71	85	L70 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L72	42	(response adj time) same (refuse or deny or denied or decline or declined or turn down) same (connection or connect or connected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L73	38	L72 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L74	6163	(calculate or determine or measure) with (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L75	14	L74 same (refuse or deny or denied or decline or declined or turn down or refused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24

L76	241	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with ((echo adj (response or request)) or ping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L77	197	L76 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L78	225	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with (ping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L79	182	L78 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L80	25	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with ((echo adj (response or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:24
L81	1709	726/26.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:29
L82	1127	726/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:29
L83	390	726/29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:29
L84	102039	key.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:30
L85	558	81 and 84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:30



L86	134	83 and 84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:30
L87	15356	(key and (encrypt\$3 or encipher\$3 or protect\$3) and (content or data or file)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:32
L88	392	87 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:33
L89	287	87 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:33
L90	82	87 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:33
L91	9776	(key same (encrypt\$3 or encipher\$3 or protect\$3) same (content or data or file)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:33
L92	297	91 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:34
L93	216	91 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:34
L94	59	91 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:34
L95	1599	(key same (encrypt\$3 or encipher\$3 or protect\$3) same (content or data or file) and request and response). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:35
L96	47	95 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:35

L97	50	95 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:35
L98	12	95 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:35
L100	744	(identi\$4 same (encrypt\$3 or encipher\$3 or protect\$3) same (content or data or file) and request and response).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:43
L101	21	100 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:43
L102	19	100 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:43
L103	8	100 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:43
L104	1298	(identi\$4 same (encrypt\$3 or encipher\$3 or protect\$3) and request and response).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L105	33	104 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L106	28	104 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L107	10	104 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L108	9090	(identi\$4 same (encrypt\$3 or encipher\$3 or protect\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44

L109	153	108 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L110	127	108 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L111	46	108 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:44
L112	3964	((ident\$4 same (encrypt\$3 or encipher\$3 or protect\$3) same (content or data or file)). cfm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:45
L113	108	112 and 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:45
L114	92	112 and 82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:45
L115	28	112 and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/23 17:45
S1	3	"5715403".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 12:18
S3	1	09/290363.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 12:22
S4	0	09/525510.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/14 15:44
S6	10345	(digital adj right adj management) or DRM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 16:58

S7	1221	726/26.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 16:57
S8	129	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 16:58
S9	96	S8 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:32
S10	55	S9 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 17:15
S11	29196	(public or private) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 17:16
S12	31	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 17:16
S16	5817	S6 and @pd<"20030419"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 17:27
S17	155	S16 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 17:27
S18	89	S17 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 21:12
S19	2	"6772340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 21:13
S20	2	S19 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 21:13

S21	2	S20 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:21
S22	1	S21 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:20
S23	19	S18 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/01 21:49
S24	10345	(digital adj right adj management) or DRM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:20
S25	29196	(public or private) adj key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:20
S26	2	"6772340".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:20
S30	1379	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:21
S31	198	S30 and version and key and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:21
S32	150	S31 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:21
S33	111	S32 and license	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:21
S34	93	S33 and (host or transmitter or sender) and (user or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:22

S35	87	S34 and list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/02 10:22
S36	3	2002/0152393	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/15 17:24
S37	1	"20020152393".PN.	US-PGPUB	ADJ	ON	2007/06/15 17:24
S38	1157	generate with seed with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/16 23:06
S39	135	generate with seed with (encryption adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/16 23:07
S40	1259	726/26.OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:56
S42	57	S40 and proximity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:10
S43	421	proximity adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:11
S45	3	S43 and port adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:11
S46	157	S43 and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:12
S48	70	S46 and register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:12

S49	52	S48 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:16
S50	28	S40 and ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:28
S51	557	proximity adj test	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:34
S53	1023586	(port adj address) or (IP adj address) or (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:35
S54	109	S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:39
S55	104474	response adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 20:39
S56	10	S51 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:12
S57	96773	(register or registration or (sign adj up)) SAME ((proximity adj test) or ping or distance or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:01
S58	331	S57 and (DRM or (digital adj rights adj management))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:15
S59	253	S58 and (port or IP or location or address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:16
S60	196	S59 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:48

S61	82	S60 and (maximum or max)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:22
S62	17	S60 and ((maximum or max or upper) adj (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:00
S64	786	echo adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:50
S67	22	S64 and nonce	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:25
S69	8	S64 same encrypted	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:50
S70	119519	(proximity adj test) or ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:55
S71	61	S70 same encrypted	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:55
S72	46	S71 and response and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:59
S73	104474	response adj time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 21:59
S74	6189	S73 and ((maximum or max or upper) adj (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:00
S75	1681	(register or registration or (sign adj up)) and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:33



S79	6	encrypted with (echo adj (request or reply or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:35
S80	7830	registration adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 22:56
S81	21	S40 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:27
S82	4865	(response adj time) with (requirement or threshold) and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:48
S86	9	S82 and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:43
S87	119519	(proximity adj test) or ping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:48
S88	126	S87 and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:57
S89	77	S88 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:49
S90	121	(exceed or over or threshold or limit or maximum or time) with (((deny or refuse or denied or refused) adj (connection or registration or connect or register)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/17 23:58
S92	18	S90 and (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:33

S93	124	ping and ((deny or refuse or denied or refused) adj (connection or registration or connect or register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:43
S94	77	S93 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:50
S96	37	(response adj time) same (refuse or deny or denied or decline or declined or turn down) same (connection or connect or connected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:50
S97	36	S96 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:54
S98	5326	(calculate or determine or measure) with (response adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:55
S101	12	S98 same (refuse or deny or denied or decline or declined or turn down or refused)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 09:56
S102	195	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with ((echo adj (response or request)) or ping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:33
S103	172	S102 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:33
S104	181	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with (ping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:33
S105	158	S104 and (@pd<"20040419" or @ad<"20040419" or @prad<"20040419" or @rlad<"20040419")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:36

S106	23	((digitally adj sign\$2) or (signature) or (digital adj signature) or encrypt\$3 or hash or (message adj digest)) with ((echo adj (response or request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/18 16:33
------	----	---	--	-----	----	---------------------

7/ 23/ 2008 5:45:43 PM

C:\Documents and Settings\ezee\Desktop\2100\10827167\10827167.wsp